

Lon: -117°15'41.13"W

Lat: 32°59'36.25N

# Smoke Free Campus

**Main Hospital**

**Salinas Valley Memorial Hospital  
450 E. Romie Lane  
Salinas, CA 93901**

**REV 1, April 18, 2013**



**13-1055-01**



**SIDE VIEW**  
SCALE: 1/8"=1"



**PANEL SIGN - SIGN TYPE SM.3**  
SCALE: 1/8"=1" **QTY: 36**

.080" THICK ALUMINUM WITH  
A 4-COLOR DIGITAL PRINT  
APPLIED TO THE PANEL FACE.  
DIGITAL PRINT LAMINATED  
WITH 15mil POLYCARBONATE  
VELVET UV DISPLAY FLEX

INSTALL: (4) STUDS AND  
CONSTRUCTION ADHESIVE

**NOTE: (35) SIGNS TO INCLUDE STUDS  
FOR MOUNTING, (1) SIGN TO BE MOUNTED  
TO GLASS WITH VHB TAPE AT THE BUS STOP  
ON ROMIE LANE.**



OPTIONAL IMAGE 1



OPTIONAL IMAGE 2



OPTIONAL IMAGE 3



OPTIONAL IMAGE 4

CLIENT INFORMATION:

**Salinas Valley  
Memorial Hospital**  
450 E. Romie Lane  
Salinas, CA 93901

APPROVALS:

IG ACCOUNT MANAGER \_\_\_\_\_  
IG PRODUCTION MANAGER \_\_\_\_\_  
CLIENT APPROVAL \_\_\_\_\_

SALES REP:

**R. Redmon**  
DESIGNER:  
**T. West**

REVISION DATES:

- 1 4-18-13 TW
- 2
- 3
- 4
- 5

VOLTAGE:  120V  
 240V

THIS ORIGINAL UNPUBLISHED DESIGN IS THE SOLE PROPERTY OF IMAGE GROUP. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM IMAGE GROUP. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR REFERENCE PURPOSES ONLY.

PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

DATE:  
**3-29-2013**

PROJECT:  
**Smoke Free Campus**

DRAWING NO:  
**13-1055-01**

SIGN TYPE:  
**SM.3  
Smoke Free  
Campus**

CLIENT INFORMATION:

**Salinas Valley  
 Memorial Hospital**  
 450 E. Romie Lane  
 Salinas, CA 93901

APPROVALS:

IG ACCOUNT MANAGER \_\_\_\_\_  
 IG PRODUCTION MANAGER \_\_\_\_\_  
 CLIENT APPROVAL \_\_\_\_\_

SALES REP:

**R. Redmon**  
 DESIGNER:  
**T. West**

REVISION DATES:

- 1 4-18-13 TW
- 2
- 3
- 4
- 5

VOLTAGE: 120V   
 240V

THIS ORIGINAL UNPUBLISHED DESIGN IS THE SOLE PROPERTY OF IMAGE GROUP. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM IMAGE GROUP. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR REFERENCE PURPOSES ONLY.


PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

DATE:  
**3-29-2013**

PROJECT:  
**Smoke Free Campus**

DRAWING NO:  
**13-1055-01**

SIGN TYPE:  
**Location Plan**



- Green = SM.1 Double Post
- Blue = SM.2 Single Post
- Red = SM.3 Wall Panel
- Purple = SM.4 Vinyl

