



Floor 5

Main Hospital

Salinas Valley Memorial Hospital
450 E. Romie Lane
Salinas, CA 93901

April 3, 2013



13-1063-00

INDEX

PAGE	TYPE	DESCRIPTION
1	-	Sheet Index/Graphic Standards
2	B	Directional - 5 strip
3	B.1	Directional - 10 strip
4	C	Elevator Directory
5	D.12	Overhead Ceiling Mounted 9.5x30
6	H	Room ID
7	J	Restroom ID
8	J.2	Projecting ID
	J.3	California Restroom - Unisex
9	K	Patient Room ID
10	L	Stair ID
	L.10	Stair ID
11	N	Evacuation Plan
	P	Warning - Small
12	P.2	Elevator Warning
13	-	Location Plan - Wayfinding
14	-	Location Plan - Room ID
15	-	Location Plan - Room ID



3M
VIVID BLUE
#7725-17



3M
KELLY GREEN
#7725-46



GERBER
DARK
BURGUNDY
#220-68



GERBER
DURANODIC
#220-69

COLOR LEGEND



3Form Bear
Grass Lite



To Match
PMS #8582c



Akzo Nobel
#419-B1 Satin



Black 3M Matte
#7725-22



Rowmark
ADA Red

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890

Futura Heavy

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890

Futura Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890

Times Bold Italic



Women




Men



Unisex



Accessible



Do Not Enter




No Cell Phone



Stair/In Case of Fire



Telephone



Standard Arrow



SEATTLE • SAN DIEGO

MAIN OFFICE
380 STEVENS AVENUE #307
SOLANA BEACH, CA 92075

PHONE: 858.345.1542

CLIENT INFORMATION:

Salinas Valley
Memorial Hospital
450 E. Romie Lane
Salinas, CA 93901

APPROVALS:

IG ACCOUNT MANAGER _____

IG PRODUCTION MANAGER _____

CLIENT APPROVAL _____

SALES REP:

R. Redmon

DESIGNER:

T. West

REVISION DATES:

1

2

3

4

5

VOLTAGE:

120V ☐
240V ☐

THIS ORIGINAL UNPUBLISHED DESIGN IS THE SOLE PROPERTY OF IMAGE GROUP. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM IMAGE GROUP. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR REFERENCE PURPOSES ONLY.

PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

DATE:

4-03-2013

PROJECT:


Floor 5

DRAWING NO:

13-1063-00

SIGN TYPE:

Index/
Graphic Standards



SIDE VIEW
SCALE: 1/4"=1"

DIRECTIONAL 5 STRIP - SIGN TYPE B
SCALE: 1/4"=1"

A

3M
VIVID BLUE
#7725-17

B


3M
KELLY GREEN
#7725-46

C


GERBER
DARK
BURGUNDY
#220-68

D


GERBER
DURANODIC
#220-69



INSERT KEYHOLE DETAIL
SCALE: 1/2"=1"



DETAIL A - SECTION VIEW
SCALE: 1"=1"



DETAIL C - SECTION VIEW
SCALE: 1"=1"

BACKPLATE
1/4" THICK 3FORM BEAR GRASS LITE
WITH 45 DEGREE CHAMFER MILLED EDGE

PAINTED ACCENT
1/8" THICK CLEAR ACYRLIC FIRST SURFACE PAINTED
COLOR: TO MATCH PMS #8582 (SATIN)
(2) 1-1/2" PAINTED SPACERS TO FORM NOTCH THAT
FITS OVER P-95 ACRYLIC ACCENT

ACRYLIC ACCENT
1/8" THICK P-95 NON-GLARE ACRYLIC
ACCENT WITH MILLED EDGES

INSERT WITH KEYHOLE
4-1/4"h x 17-11/16"w x 20mil THICK RIGID VINYL INSERT
FIRST SURFACE PAINTED
COLOR: AKZO NOBEL #419-B1 (SATIN)
FIRST SURFACE VINYL APPLIED TEXT
2"h VINYL TEXT, 3M MATTE BLACK, #7725-22
FONT: FUTURA MEDIUM



INSERT WITH KEYHOLE
1-3/4"h x 17-11/16"w x 20mil THICK RIGID VINYL INSERT
FIRST SURFACE PAINTED
COLOR: TO MATCH PMS #452c (SATIN)
FIRST SURFACE VINYL APPLIED CIRCLE AND ARROW
1-1/8"h VINYL CIRCLE, 3M MATTE BLACK, #7725-22
7/8"h VINYL ARROW, 3M MATTE WHITE, #7725-20

INSERT WITH KEYHOLE
1-3/4"h x 17-11/16"w x 20mil THICK RIGID VINYL INSERT
FIRST SURFACE PAINTED
COLOR: AKZO NOBEL #419-B1 (SATIN)
FIRST SURFACE VINYL APPLIED TEXT
7/8"h VINYL TEXT, 3M MATTE BLACK, #7725-22
FONT: FUTURA MEDIUM
1-1/4"h VINYL SYMBOL, 3M MATTE BLACK, #7725-22
1-1/8"h VINYL BOX WITH 3M MATTE WHITE LETTER,
#7725-20


INSERT WITH KEYHOLE
2-5/8"h x 17-11/16"w x 20mil THICK RIGID VINYL INSERT
FIRST SURFACE PAINTED
COLOR: AKZO NOBEL #419-B1 (SATIN)

FACEPLATE
1/16" THICK P-99 NON-GLARE ACRYLIC FACEPLATE
WITH MILLED EDGES AND SECOND SURFACE PAINTED
BORDER. AREA OF INSERT LOCATIONS TO REMAIN
CLEAR. MOUNT TO ACRYLIC ACCENT WITH
POLYCARBONATE SPACERS
COLOR: AKZO NOBEL #419-B1 (SATIN)


INSTALL: VHB TAPE AND SILICONE, BOTH MUST
BE LOCATED BEHIND THE 18"x18" SOLID
FACEPLATE AREA, NOT TO BE SEEN THROUGH
THE 3FORM OR P-95 ACRYLIC






INSERT KEYHOLE DETAIL
SCALE: 1/2"=1"




DETAIL A - SECTION VIEW
SCALE: 1"=1"





DETAIL C - SECTION VIEW
SCALE: 1"=1"





NOTE: BRAILLE SHOWN BLACK FOR ILLUSTRATION PURPOSES ONLY. BRAILLE IS CLEAR RASTERS

DETAIL C - SECTION VIEW
SCALE: 1"=1"



Page 8 of 15



SIDE VIEW
SCALE: 3/8"=1"




STAIR ID - SIGN TYPE L
SCALE: 3/8"=1"




**NOTE: BRAILLE SHOWN BLACK
FOR ILLUSTRATION PURPOSES
ONLY. BRAILLE IS CLEAR RASTERS**




SIDE VIEW
SCALE: 3/8"=1"

STAIR ID - SIGN TYPE L.10
SCALE: 3/8"=1"







DETAIL K - SECTION VIEW
SCALE: 1"=1"



CLIENT INFORMATION:
**Salinas Valley
Memorial Hospital**
450 E. Romie Lane
Salinas, CA 93901

APPROVALS:
IG ACCOUNT MANAGER _____
IG PRODUCTION MANAGER _____
CLIENT APPROVAL _____

SALES REP:
R. Redmon
DESIGNER:
T. West

- REVISION DATES:
- 1
 - 2
 - 3
 - 4
 - 5

VOLTAGE: **120V** ☐
240V ☐

THIS ORIGINAL UNPUBLISHED DESIGN IS THE SOLE PROPERTY OF IMAGE GROUP. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM IMAGE GROUP. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR REFERENCE PURPOSES ONLY.

PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

DATE:
4-03-2013
PROJECT:
Floor 5
DRAWING NO:
13-1063-00

SIGN TYPE:
**Location Plan
Wayfinding**

