



0:00 to 0:00 After Hours, **Go To Emegency Entrance**

NO Latex Balloons

MAIN ENTRANCE

BAND 4

REVISION DATES: 1

APPROVALS:

SALES REP

R. Redmon

DESIGNER: T. West

IG ACCOUNT MANAGER IG PRODUCTION MANAGER_

CLIENT APPROVAL

120V 🗌

SEATTLE • SAN DIEGO

MAIN OFFICE 380 STEVENS AVENUE #307 SOLANA BEACH, CA 92075 PHONE: 858.345.1542 **CLIENT INFORMATION: Salinas Valley**

Memorial Hospital

450 E. Romie Lane Salinas, CA 93901

240V 🗆

THIS ORIGINAL LINPUBLISHED DESIGN IS THE SOLE PROPERTY OF IMAGE GROUP.
IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM IMAGE GROUP COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR REFERENCE PURPOSES ONLY.

PRIMARY ELECTRICAL TO SIGN
LOCATIONS IS TO BE PROVIDED BY
OTHERS. 20 AMP DEDICATED CIRCUIT(S)
WITH NO SHARED NEUTRALS AND A
GROUND RETURNING TO THE PANEL IS
REQUIRED FOR ALL INSTALLATIONS. THIS
SIGN IS INTENDED TO BE INSTALLED IN
ACCORDANCE WITH THE REQUIREMENTS
OF ARTICLE 600 OF THE NATIONAL
ELECTRICAL CODE AND/OR OTHER
APPLICABLE LOCAL CODES. THIS
INCLUDES PROPER GROUNDING AND
BONDING OF THE SIGN.

DATE: 4-30-2013

PROJECT:

Entrance Vinyl

DRAWING NO: 13-1080-00

SIGN TYPE:

F.60 Vinyl Graphics **Main Entrance**

Page 1 of 2

Salinas Valley Memorial Healthcare System

Entrance Hours:

24-3/4"

24-3/4"

BAND 2

VINYL GRAPHICS - SIGN TYPE F.60

Reproductive Harm.

SCALE: 1/8"=1"

QTY: 1 set

BAND 1

24-3/4"

WARNING: This Facility Contains Chemicals Known To The State Of California To Cause

Cancer, And Birth Defects Or Other

BAND 1

6"h x 24-3/4"w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M BERMUDA BLUE #7725-357 AND 3M MATTE WHITE #7725-20 FONT: HELVETICA MEDIUM, 3/4"h

BAND 2

6"h x 24-3/4"w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M BERMUDA BLUE #7725-357

BAND 3


6"h x 24-3/4"w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M BERMUDA BLUE #7725-357

BAND 4


6"h x 24-3/4"w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M BERMUDA BLUE #7725-357 AND 3M MATTE WHITE #7725-20 FONT: HELVETICA MEDIUM, 1-3/4"h

6"h VINYL APLLIED LOGO DIRECTLY TO GLASS COLOR: 3M MATTE WHITE #7725-20, SHOWN BLACK FOR ILLUSTRATION PURPOSES ONLY

ENTRANCE INFORMATION VINYL APLLIED DIRECTLY TO GLASS COLOR: 3M MATTE WHITE #7725-20, SHOWN BLACK FOR ILLUSTRATION PURPOSES ONLY 1-1/4"h ENTRANCE HOURS AND NO LATEX BALLONS 1"h ENTRANCE INFORMATION FONT: HELVETICA MEDIUM



BAND 3



VINYL GRAPHICS - SIGN TYPE F.61 SCALE: 1/8"=1" QTY: 1 set

BAND 1

6"h x 23-1/2"w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M TOMATO RED #7725-13

BAND 2


6"h x 30w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M BERMUDA BLUE #7725-357 AND 3M MATTE WHITE #7725-20 FONT: HELVETICA MEDIUM, 1-3/4"h

BAND 3

6"h x 30w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M BERMUDA BLUE #7725-357 AND 3M MATTE WHITE #7725-20 FONT: HELVETICA MEDIUM, 1-1/4"h

BAND 4

6"h x 23-1/2"w VINYL APPLIED DIRECTLY TO FIRST SURFACE GLASS COLOR: 3M TOMATO RED #7725-13





SEATTLE • SAN DIEGO

MAIN OFFICE 380 STEVENS AVENUE #307 SOLANA BEACH, CA 92075

PHONE: 858.345.1542

CLIENT INFORMATION:

Salinas Valley **Memorial Hospital** 450 E. Romie Lane Salinas, CA 93901

APPROVALS:

IG ACCOUNT MANAGER IG PRODUCTION MANAGER _ CLIENT APPROVAL

SALES REP R. Redmon DESIGNER:

T. West





120V 🗆 240V 🗆

THIS ORIGINAL UNPUBLISHED DESIGN IS THIS ORIGINAL UNPUBLISHED DESIGN IS THE SOLE PROPERTY OF IMAGE GROUP. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBSTAINING WRITERN CONSENT FROM IMAGE GROUP. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY, COLOR CALLOUTS ARE FOR REFERENCE PURPOSES ONLY.

PRIMARY ELECTRICAL TO SIGN
LOCATIONS IS TO BE PROVIDED BY
OTHERS. 20 AMP DEDICATED CIRCUIT(S)
WITH NO SHARED NEUTRALS AND A
GROUND RETURNING TO THE PANEL IS
REQUIRED FOR ALL INSTALLATIONS. THIS
SIGN IS INTENDED TO BE INSTALLED IN
ACCORDANCE WITH THE REQUIREMENTS
OF ARTICLE 600 OF THE NATIONAL
ELECTRICAL CODE AND/OR OTHER
APPLICABLE LOCAL CODES. THIS
INCLUDES PROPER GROUNDING AND
BONDING OF THE SIGN.

4-30-2013

PROJECT:

Entrance Vinyl DRAWING NO:

13-1080-00

SIGN TYPE:

F.61 Vinyl Graphics **Staff Entrance**

Page 2 of 2